

i-milk

i-milk Microfoam

Is there anything faster or more flexible?

Microfoam textures all milks perfectly and pours it at the right temperature into the jug. Handles plant milk as easily as dairy milk.

The milks can be set, so a dairy variety comes from one pouring filter and plant milk from the other. They have separate plumbing, so there is no co-mingling.

The temperature and texture are super-responsive and can be changed on-screen from one pour to the next. There is no recovery time between pours, so you can keep pouring continuously for around 72L in an hour.

Daily cleaning is automatic, and the filters need only be washed in your hand under running warm water. No special parts are required to be changed daily. The jug size is automatically detected. The milk type, texture, and temperature are selected from a simple touch screen, so no special jugs are required.

The jug rinser and automatic cleaning are standard.

Features

i-milk pours any two milk types from unique filter fingers

Two milks = Double value. All milk sources pour separately from source to cup; no risk of mixing.

Scale Technology

The scales automatically classify jugs into a weight groups. No more over-pours. No more waste.

High Accuracy Pour

Pour only the milk you need, cutting over-pouring by 10-20%.

Perfect Texture, Perfect Temperature

Temperature and texture can be changed simply between pours (see video)

Automatic Jug Rinser

Place a jug upside down on the platform; the i-rinse automatically completes the rinse cycle.

Automated Milk Purge

A busy café uses milk throughout the day, but if things slow down, i-milk will automatically dump the milk at timed intervals from the milk lines to ensure it is always fresh.

A fast, fully automated cleaning system

Automated cleaning mixes the precise chemical volume with water and douses every part of the milk system to ensure the highest standard for continued hygienic operation.

Daily Cleaning Cost for Chemicals only, no parts

Chemicals recommended are classified Non-Dangerous Goods for safer use and cheaper transport.

Draws Milk from all types of packaging

Milk from under counter or back bar fridge or Cool Room: Cold to Jug, Ready to Heat and Texture.

Save Benchtop Space

i-milk can fit in a snug space at 170mm x 280mm footprint, leaving more counter-free for other café equipment.

Simple Installation to your fridge

Most fridges can be adapted to use. Alternatively, we can supply fridges fitted with racks ready to roll in. We have plenty of experience in unique installations so let us solve your challenge.

Faster Milk pouring makes Coffee Service faster

Every second saved means more happy customers.

Save the environment and reduce waste removal costs

Compact packaging can save \$'000's of waste removal costs.

12 Month Warranty



Specifications

Model: i-milk Microfoam

Colours & Finishes: Brushed Stainless Standard (custom colours available)

Dispenses, dual flow: All Dairy or Alt Milks and other beverages

Pouring Style: Automatic

Human Interface: Touch Screen

Hands-Free Rinser: Included

Power Supply Required: 2 x 110/240v

Water & Drainage Required: Yes

Footprint: 170W x 280L

Cut out: 155W x 265L

Front Height: 324mm

Standard Jug Clearance: 230mm (custom heights available)

Control Box: 280W x 550L x 350H

Shipping Dimensions: TBA

Shipping Weight: TBA





i-milk Chilled

Like the iconic i-milk, only better.

i-milk pours your choice of Chilled milk accurately, quickly and ready to texture. Bottles disappear, and waste is a thing of the past. Customers appreciate the classic font design and wonder at the hands-free jug rinser.

i-milk is the only milk delivery system on the market using weight-based delivery for perfect accuracy. It automatically detects the jug size and is further assisted by a touch screen.

It also has automatic cleaning on-board and our renowned hands-free jug rinser.

Features

i-milk pours any two milk types from unique filter fingers

All milk sources pour separately from source to cup. No risk of co-mingling.

Scale Technology

The scales automatically classify jugs into a weight groups. No more over-pours. No more waste.

High Accuracy Pour

Pour only the milk you need, cutting over-pouring by 10-20%.

Versatile Beverage dispenser

Can dispense most beverages that are free of sediment.

Automatic Jug Rinser

Place a jug upside down on the platform; the i-rinse automatically completes the rinse cycle.

Automated Milk Purge

A busy café uses milk throughout the day, but if things slow down, i-milk will automatically dump the milk at timed intervals from the milk lines to ensure it is always fresh.

A fast, fully automated cleaning system

Automated cleaning mixes the precise chemical volume with water and douses every part of the milk system to ensure the highest standard for continued hygienic operation.

Daily Cleaning Cost for Chemicals only, no parts

Chemicals recommended are classified Non-Dangerous Goods for safer use and cheaper transport.

Draws Milk from all types of packaging

Milk from under counter or back bar fridge or Cool Room: Cold to Jug, Ready to Heat and Texture.

Save Benchtop Space

i-milk can fit in a snug space at 170mm x 280mm footprint, leaving more counter-free for other café equipment.

Manual filling mode for Cold Drinks

Use the manual mode for longer pours for milkshakes, smoothies, bubble tea and other needs.

Simple Installation to your fridge

Most fridges can be adapted to use. Alternatively, we can supply fridges fitted with racks ready to roll in. We have plenty of experience in unique installations so let us solve your challenge.

Faster Milk pouring makes Coffee Service faster

Every second saved means more happy customers.

Save the environment and reduce waste removal costs

Compact packaging can save \$'000's of waste removal costs.

12 Month Warranty

Specifications

Model: i-milk Chilled

Colours & Finishes: Brushed Stainless Standard (custom colours available)

Dispenses, dual flow: All Dairy or Alt Milks and other beverages

Pouring Style: Automatic

Human Interface: Touch Screen

Hands-Free Rinser: Included

Power Supply Required: 2 x 110/240v

Water & Drainage Required: Yes

Footprint: 170W x 280L

Cut out: 155W x 265L

Front Height: 324mm

Standard Jug Clearance: 230mm (custom heights available)

Control Box: 250W x 400L x 260H

Shipping Dimensions: TBA

Shipping Weight: TBA



i-pour on Bench

For no-fuss installation, but with all the benefits.

The i-Pour is our simplest milk system, with three user-set, timed pours for each of the two beverage options.

The i-pour can sit on the bench for the simplest installation of all. The cleaning cycle is machine-assisted once the chemical mix is prepared.

It shares a footprint with the i-rinse, so the two units can be positioned in front of each other or side by side.

Features

i-milk pours any two milk types from unique filter fingers

All milk sources pour separately from source to cup. No risk of co-mingling.

Select Milk Type and Volume by Push Button

Accurately timed pumps pour accurate volumes of milk.

High Accuracy Pour

Pour only the milk you need, cutting over-pouring by 10-20%.

Versatile Beverage dispenser

Can dispense most beverages that are free of sediment.

A fast, machine assisted cleaning system

Cleaning System draws premixed cleaner solution through the system in alternating bursts for maximum efficacy.

Daily Cleaning Cost for Chemicals only, no parts

Chemicals recommended are classified Non-Dangerous Goods for safer use and cheaper transport.

Draws Milk from all types of packaging

Milk from under counter or back bar fridge or Cool Room: Cold to Jug, Ready to Heat and Texture.

Save Benchtop Space

i-pour can fit in a snug space at 175mm x 240mm footprint, leaving more counter-free for other café equipment.

Manual filling mode for Cold Drinks

Use the manual mode for longer pours for milkshakes and other needs. The program option allows Button one to be reset JUST for the manual pour, and 2 & 3 are time pours.

Simple Installation to your fridge

Most fridges can be adapted to use. Alternatively, we can supply fridges fitted with racks ready to roll in. We have plenty of experience in unique installations so let us solve your challenge.

Faster Milk pouring makes Coffee Service faster

Every second saved means more happy customers.

Save the environment and reduce waste removal costs

Compact packaging can save \$'000's of waste removal costs.

12 Month Warranty



Specifications

Model: i-pour on bench

Colours & Finishes: Brushed Stainless Standard (custom colours available)

Dispenses, dual flow: All Dairy or Alt Milks and other beverages

Pouring Style: Timer Buttons

Human Interface: Manual Timer Buttons

Hands-Free Rinser: n/a

Power Supply Required: 1 x 110/240v

Water & Drainage Required: No

Footprint: 175W x 240L

Cut out: 50mm hole

Front Height: 324mm

Standard Jug Clearance: 230mm (custom heights available)

Control Box: 180W x 240L x 250H

Shipping Dimensions: TBA

Shipping Weight: TBA





i-pour in Bench

For a built-in installation, a great duo for i-rinse.

The i-Pour is our simplest milk system, with three user-set, timed pours for each of the two beverage options.

This model of the i-pour is set into the bench for a flush finish. The cleaning cycle is machine-assisted once the chemical mix is prepared.

It shares a footprint with the i-rinse, so the two units can be positioned in front of the other or side by side.

Features

i-milk pours any two milk types from unique filter fingers

All milk sources pour separately from source to cup. No risk of co-mingling.

Select Milk Type and Volume by Push Button

Accurately timed pumps pour accurate volumes of milk.

High Accuracy Pour

Pour only the milk you need, cutting over-pouring by 10-20%.

Versatile Beverage dispenser

Can dispense most beverages that are free of sediment.

A fast, machine assisted cleaning system

Cleaning System draws premixed cleaner solution through the system in alternating bursts for maximum efficacy.

Daily Cleaning Cost for Chemicals only, no parts

Chemicals recommended are classified Non-Dangerous Goods for safer use and cheaper transport.

Draws Milk from all types of packaging

Milk from under counter or back bar fridge or Cool Room: Cold to Jug, Ready to Heat and Texture.

Save Benchtop Space

i-pour can fit in a snug space at 175mm x 240mm footprint, leaving more counter-free for other café equipment.

Manual filling mode for Cold Drinks

Use the manual mode for longer pours for milkshakes and other needs. The program option allows Button one to be reset JUST for the manual pour, and 2 & 3 are time pours.

Simple Installation to your fridge

Most fridges can be adapted to use. Alternatively, we can supply fridges fitted with racks ready to roll in. We have plenty of experience in unique installations so let us solve your challenge.

Faster Milk pouring makes Coffee Service faster

Every second saved means more happy customers.

Save the environment and reduce waste removal costs

Compact packaging can save \$'000's of waste removal costs.

12 Month Warranty

Specifications

Model: i-pour on bench

Colours & Finishes: Brushed Stainless Standard (custom colours available)

Dispenses, dual flow: All Dairy or Alt Milks and other beverages

Pouring Style: Timer Buttons

Human Interface: Manual Timer Buttons

Hands-Free Rinser: n/a

Power Supply Required: 1 x 110/240v

Water & Drainage Required: No

Footprint: 175W x 240L

Cut out: 50mm hole

Front Height: 324mm

Standard Jug Clearance: 230mm (custom heights available)

Control Box: 180W x 240L x 250H

Shipping Dimensions: TBA

Shipping Weight: TBA



i-rinse

The only hands-free rinser on the market.

i-milk's hands-free jug rinser was so popular we made it into the ONLY hands-free rinser on the market.

It has a novel setting, as you can set the duration of the rinse time. The rinse can be repeated by simply tapping the base of the jug or turned off by lifting the jug.

It shares a footprint with the i-pour, so the two units can be positioned in front of each other or side by side.

Features

Hands-free jug washer

Enables baristas to reach high efficiency.

Finger tap to repeat the rinse

Restart the cycle by tapping the jug base after rinsing finishes.

Stop mid-cycle by lifting the jug

Lift the jug to stop the rinse cycle when in a hurry.

Choose rinse cycle duration

The rinse cycle can be set for a 2, 3, 5 or 8-second duration.

12-Month Warranty for Parts & Labour



Specifications

Model: i-rinse

Colours & Finishes: Brushed Stainless Standard (custom colours available)

Human Interface: Pressure sensor & Manual Buttons

Power Supply Required: 1 x 110/240v

Water & Drainage Required: Yes

Footprint: 175W x 240L

Cut out: 145W x 180L

Shipping Dimensions: TBA

Shipping Weight: TBA





i-rack

Keeping everything in place.

i-rack is now a flat-pack system supplied in single and double-tray flat-pack units.

It can be stacked to the number of layers you need for the most efficient storage in your flat floor fridge.

Even has a top shelf that can be used for milk containers holding milk types, not in bladders of the array of tetra paks with assorted plant milks.

Features

Racks & Trays designed for 10L Bladders

Can be ordered in single or double layers and stacked within realms of stability, but typically 3 – 5 levels high.

Shelf for alternatives

Flat top tray available for alternatives and other fridge items.

Easy to assemble flat pack design

Comes flat to reduce freight charges.

12-Month Warranty for Parts & Labour

Specifications


1 Drawer Dimensions: 143H x 400D x 316W

2 Drawer Dimensions: 275H x 400D x 316W

3 Drawer Dimensions: 418H x 400D x 316W

4 Drawer Dimensions: 550H x 400D x 316W

5 Drawer Dimensions: 693H x 400D x 316W



i-fidge

Wheel in a new fridge ready to go if you need to.

The only speciality fridges designed to store several milk bladders using i-rack and i-milk technology.

Fridges wheeled in with Rack inserts and milk line access. We prepare the fridge with three grommets to provide ready access for your milk lines.

If you want a wheel-in option, we can supply all sizes of under-counter fridges fitted with racks to ready-to-wheel-in.

Features

The fridge will be supplied with racks installed

Specify the space available for your under-counter or back-wall fridge; we will find the solution. We will install racks. Good for Automatic coffee machines and all milk systems.

Racks & Trays designed for 10L Bladders

It can be ordered in single or double layers and stacked within realms of stability, but typically 3 – 5 levels high.

Shelf for alternatives

A flat top tray is available for alternatives and other fridge items.

12-Month Warranty for Parts & Labour



Specifications

Single Door Fridges

Counter Size: Standard

Dimensions: 846H x 700D x 900L

Milk Capacity: 40L

Counter Size: Low

Dimensions: 800H x 700D x 900L

Milk Capacity: 30L

Counter Size: Low & Narrow

Dimensions: 800H x 600D x 900L

Milk Capacity: 30L

Double Door Fridges

Counter Size: Standard

Dimensions: 846H x 700D x 1200L

Milk Capacity: 80L

Counter Size: Low

Dimensions: 800H x 700D x 1200L

Milk Capacity: 60L

Counter Size: Low & Narrow

Dimensions: 800H x 600D x 1200L

Milk Capacity: 60L

Triple Door Fridges

Counter Size: Standard

Dimensions: 846H x 700D x 1500L

Milk Capacity: 120L

Counter Size: Low

Dimensions: 800H x 700D x 1500L

Milk Capacity: 90L

Counter Size: Low & Narrow

Dimensions: 800H x 600D x 1500L

Milk Capacity: 90L

Four Door Fridges

Counter Size: Standard

Dimensions: 846H x 700D x 1800L

Milk Capacity: 160L

Counter Size: Low

Dimensions: 800H x 700D x 1800L

Milk Capacity: 120L

Counter Size: Low & Narrow

Dimensions: 800H x 600D x 1800L

Milk Capacity: 120L



Call 1300 464 557

www.i-milk.com.au

